

THE
WILDEN Suite



THE COMPANY

The Wilden Suite is manufactured by Dortrend International Ltd. at their Stourport-on-Severn factory. The company moved to these premises in July 1987 from their nearby factory which they had occupied for sixteen years. The company manufactures and imports an extensive range of door and window fittings ranging from economy fittings through mid-priced products to more expensive fittings. Within the complex at the Riverside Business Centre are modern manufacturing facilities including an anodising plant, polishing department and full production facilities all designed to produce and supply high quality products delivered on time and at competitive prices. The company is large enough to undertake the manufacture of high value contracts yet small and flexible enough to service specific requirements for smaller volumes. Dortrend technical staff have vast experience in producing specials from customers drawings or sketches and can manufacture using aluminium, brass or stainless steel.

THE WILDEN Suite



..... a range of door fittings that has evolved over the last seven years into an extensive selection of high quality products. Manufactured to the highest standards, available with levers in either 19mm or 22mm diameters, pull handles in 19mm, 22mm, 25mm, 33mm diameters and a range of complimentary accessories.

Our Offices and Factory at the Riverside Business Centre



All dimensions, weights etc. given in this brochure are approximate. Dortrend International Ltd. are continually refining and improving their product range, and therefore reserve the right to alter specifications without prior notice, where this proves necessary for technical or other reasons.

Any items ordered from this brochure are subject to our standard terms and conditions of sale, which are printed in our current price list, a copy of which is available on request.

CARING FOR ANODISED ALUMINIUM, POLISHED BRASS AND STAINLESS STEEL.

These products are manufactured from high quality HE9 aluminium, 316 stainless steel and stove enamelled brass especially suitable for pressings, extrusions and diecastings. All these items require surface treatment to inhibit corrosion, and whilst a product may remain mechanically sound for a lifetime, its appearance may deteriorate more quickly, mainly due to the conditions of exposure in service. Dust is one of the main reasons for corrosion, either acid or alkaline. Salt in marine atmospheres is also very corrosive. We recommend, therefore, that our products be kept clean by frequent dusting, and an occasional wipe with warm soapy water. This is far more effective than the more drastic treatment with polishes, some of which are very abrasive and can damage the surface. Our technical representatives are always available to offer advice and any technical information you may require.

GLOSSARY OF ABBREVIATIONS

- AS - Polished and Anodised Silver Aluminium
- AB - Polished and Anodised Bronze Aluminium
- AG - Polished and Anodised Gold Aluminium
- SS - Stainless Steel (specify Polished or Satin Polished)
- PB - Polished and Lacquered Brass
- PC - Powder Coated

Aluminium product codes within this brochure are all prefixed with 'AS' as the standard finish. For other finishes, please substitute prefix with 'AB' for bronze or 'AG' for gold

STANDARD FINISHES

- Aluminium - Silver, Gold, Bronze Anodised (Anolock 543).
 - Stainless Steel - Polished, Satin Polished.
 - Brass - Polished and Stove Lacquered.
 - Aluminium - Epoxy Powder Coated to special order to RAL or B.S. colours.
- Alternative finishes to special order eg. Dark Bronze, Continental Gold and Satin Aluminium Anodised.

All Dimensions in this brochure are in mm.

LEVER HANDLES

_____ *four - five*

LEVERS ON ROSES, KNOBS & ESCUTCHEONS

_____ *six - seven*

PULL HANDLES

_____ *eight - nine*

ACCESSORIES

_____ *ten - eleven*

FITTINGS TO HELP THE LESS ABLE

_____ *twelve - thirteen*


PRESTIGE PULL HANDLES

_____ *fourteen - fifteen*



LEVER HANDLES

Produced in 19mm and 22mm diameter round bar available on either concealed or face fix plates. All of our lever furniture can be supplied for bolt through fixing using a 'T' fix bolt. All levers are spindle fixed using grub screws.



Concealed



AS 19 R CH
SS 19 R CH
PB 19 R CH
AS 22 R CH
SS 22 R CH
PB 22 R CH



AS 19 R CK
SS 19 R CK
PB 19 R CK
AS 22 R CK
SS 22 R CK
PB 22 R CK



AS 19 R CL
SS 19 R CL
PB 19 R CL
AS 22 R CL
SS 22 R CL
PB 22 R CL




AS 19 R CE
SS 19 R CE
PB 19 R CE
AS 22 R CE
SS 22 R CE
PB 22 R CE



AS 19 R CM
SS 19 R CM
PB 19 R CM
AS 22 R CM
SS 22 R CM
PB 22 R CM




AS 19 R CMD
SS 19 R CMD
PB 19 R CMD
AS 22 R CMD
SS 22 R CMD
PB 22 R CMD




Face Fix




AS 19 R NH
SS 19 R NH
PB 19 R NH
AS 22 R NH
SS 22 R NH
PB 22 R NH




AS 19 R NK
SS 19 R NK
PB 19 R NK
AS 22 R NK
SS 22 R NK
PB 22 R NK




AS 19 R NL
SS 19 R NL
PB 19 R NL
AS 22 R NL
SS 22 R NL
PB 22 R NL





AS 19 R NE
SS 19 R NE
PB 19 R NE
AS 22 R NE
SS 22 R NE
PB 22 R NE




AS 19 R NM
SS 19 R NM
PB 19 R NM
AS 22 R NM
SS 22 R NM
PB 22 R NM




AS 19 R NMD
SS 19 R NMD
PB 19 R NMD
AS 22 R NMD
SS 22 R NMD
PB 22 R NMD




AS 19 R WH
SS 19 R WH
PB 19 R WH




AS 22 R WH
SS 22 R WH
PB 22 R WH




AS 19 R WK
SS 19 R WK
PB 19 R WK




AS 22 R WK
SS 22 R WK
PB 22 R WK




AS 19 R WL
SS 19 R WL
PB 19 R WL



AS 22 R WL
SS 22 R WL
PB 22 R WL



AS 19 R WK
SS 19 R WK
PB 19 R WK




AS 22 R WK
SS 22 R WK
PB 22 R WK



LEVERS KNOBS


A range of levers and knobs on either deep or slimline roses.

Escutcheons to suit most applications, slimline, standard or 10g face fix. All levers are spindle fixed using grub screws.




ON ROSES, & ESCUTCHEONS


FACE FIX



CONCEALED SLIMLINE



CONCEALED



All rose fittings (including escutcheons) can be supplied with bolt through at standard 38mm centres using 'T' fix bolts. For variations please contact a member of our technical staff.

Escutcheons



AS EFK 1
SS EFK 1
PB EFK 1



AS EFL 2
SS EFL 2
PB EFL 2



AS EFE 3
SS EFE 3
PB EFE 3



AS ECK 1
SS ECK 1
PB ECK 1

slimline (6mm)
AS ECK 15
SS ECK 15
PB ECK 15



AS ECL 2
SS ECL 2
PB ECL 2

slimline (6mm)
AS ECL 25
SS ECL 25
PB ECL 25



AS ECE 3
SS ECE 3
PB ECE 3

slimline (6mm)
AS ECE 35
SS ECE 35
PB ECE 35


Bathroom Indicators



AS DIFM 2
SS DIFM 2
PB DIFM 2



AS DIFM 1
SS DIFM 1
PB DIFM 1



AS IFM 1
SS IFM 1
PB IFM 1



AS IFM 2
SS IFM 2
PB IFM 2

Knobs



AS KFH 1 PB KFH 1



AS KFK 2 PB KFK 2



AS KFL 3 PB KFL 3




AS KFE 4 PB KFE 4



AS KCR 5 PB KCR 5

Levers on Roses




AS 19 RCR SS 19 RCR PB 19 RCR

on slimline rose (6mm)
AS 19 RCRS SS 19 RCRS PB 19 RCRS

AS 22 RCR SS 22 RCR PB 22 RCR

on slimline rose (6mm)
AS 22 RCRS SS 22 RCRS PB 22 RCRS

Escape lever on face fix Rose




AS 19 ESC
SS 19 ESC
PB 19 ESC



PULL HANDLES

A range offering four diameters and four lengths as standard with the option of specifying any length required. For alternative designs, please refer to pages 14 and 15.



eight




Back to back handles are supplied with beefeater bolts for a secure fixing. Standard bolts are designed for 45mm - 55mm width doors. For thicker doors of 75mm and over, please advise thickness when ordering. Please also state when ordering for glass doors. As an alternative to back to back handles, roses or plates can be bolted through for extra security using 'T' fix bolts. Please refer to our price list for standard sizes for pull handles on plates. Specials can be produced to any size and gauge.

DIA.	C/S	FITTING	ALUMINIUM	STAINLESS	P. BRASS
19	150	B/Through	AS 19RBT2	SS 19RBT2	PB 19RBT2
19	225	B/Through	AS 19RBT3	SS 19RBT3	PB 19RBT3
19	300	B/Through	AS 19RBT4	SS 19RBT4	PB 19RBT4
19	150	Face Fix	AS 19RFF2	SS 19RFF2	PB 19RFF2
19	225	Face Fix	AS 19RFF3	SS 19RFF3	PB 19RFF3
19	300	Face Fix	AS 19RFF4	SS 19RFF4	PB 19RFF4
19	150	Con. Rose	AS 19RCR2	SS 19RCR2	PB 19RCR2
19	225	Con. Rose	AS 19RCR3	SS 19RCR3	PB 19RCR3
19	300	Con. Rose	AS 19RCR4	SS 19RCR4	PB 19RCR4
19	150	Back/Back	N/A	SS 19RBB2	PB 19RBB2
19	225	Back/Back	N/A	SS 19RBB3	PB 19RBB3
19	300	Back/Back	N/A	SS 19RBB4	PB 19RBB4
19	150	on 10g Plate	AS 19RPP2	SS 19RPP2	PB 19RPP2
19	225	on 10g Plate	AS 19RPP3	SS 19RPP3	PB 19RPP3
19	300	on 10g Plate	AS 19RPP4	SS 19RPP4	PB 19RPP4
19	150	eng. Push/Pull	AS 19REP2	SS 19REP2	PB 19REP2
19	225	eng. Push/Pull	AS 19REP3	SS 19REP3	PB 19REP3
19	300	eng. Push/Pull	AS 19REP4	SS 19REP4	PB 19REP4
22	150	B/Through	AS 22RBT2	SS 22RBT2	PB 22RBT2
22	225	B/Through	AS 22RBT3	SS 22RBT3	PB 22RBT3
22	300	B/Through	AS 22RBT4	SS 22RBT4	PB 22RBT4
22	150	Face Fix	AS 22RFF2	SS 22RFF2	PB 22RFF2
22	225	Face Fix	AS 22RFF3	SS 22RFF3	PB 22RFF3
22	300	Face Fix	AS 22RFF4	SS 22RFF4	PB 22RFF4
22	150	Con. Rose	AS 22RCR2	SS 22RCR2	PB 22RCR2
22	225	Con. Rose	AS 22RCR3	SS 22RCR3	PB 22RCR3
22	300	Con. Rose	AS 22RCR4	SS 22RCR4	PB 22RCR4
22	150	Back/Back	AS 22RBB2	SS 22RBB2	PB 22RBB2
22	225	Back/Back	AS 22RBB3	SS 22RBB3	PB 22RBB3
22	300	Back/Back	AS 22RBB4	SS 22RBB4	PB 22RBB4
22	150	on 10g Plate	AS 22RPP2	SS 22RPP2	PB 22RPP2
22	225	on 10g Plate	AS 22RPP3	SS 22RPP3	PB 22RPP3
22	300	on 10g Plate	AS 22RPP4	SS 22RPP4	PB 22RPP4
22	150	eng. Push/Pull	AS 22REP2	SS 22REP2	PB 22REP2
22	225	eng. Push/Pull	AS 22REP3	SS 22REP3	PB 22REP3
22	300	eng. Push/Pull	AS 22REP4	SS 22REP4	PB 22REP4
25	225	B/Through	AS 25RBT3	SS 25RBT3	PB 25RBT3
25	300	B/Through	AS 25RBT4	SS 25RBT4	PB 25RBT4
25	425	B/Through	AS 25RBT5	SS 25RBT5	PB 25RBT5
25	225	Face Fix	AS 25RFF3	SS 25RFF3	PB 25RFF3
25	300	Face Fix	AS 25RFF4	SS 25RFF4	PB 25RFF4
25	425	Face Fix	AS 25RFF5	SS 25RFF5	PB 25RFF5
25	225	con. Rose	AS 25RCR3	SS 25RCR3	PB 25RCR3
25	300	con. Rose	AS 25RCR4	SS 25RCR4	PB 25RCR4
25	425	con. Rose	AS 25RCR5	SS 25RCR5	PB 25RCR5
25	225	Back/Back	AS 25RBB3	SS 25RBB3	PB 25RBB3
25	300	Back/Back	AS 25RBB4	SS 25RBB4	PB 25RBB4
25	425	Back/Back	AS 25RBB5	SS 25RBB5	PB 25RBB5
25	225	on Plate	AS 25RPP3	SS 25RPP3	PB 25RPP3
25	300	on Plate	AS 25RPP4	SS 25RPP4	PB 25RPP4
25	425	on Plate	AS 25RPP5	SS 25RPP5	PB 25RPP5
25	225	eng. Push/Pull	AS 25REP3	SS 25REP3	PB 25REP3
25	300	eng. Push/Pull	AS 25REP4	SS 25REP4	PB 25REP4
25	425	eng. Push/Pull	AS 25REP5	SS 25REP5	PB 25REP5
33	225	B/Through	AS 33RBT3	N/A	N/A
33	300	B/Through	AS 33RBT4	N/A	N/A
33	425	B/Through	AS 33RBT5	N/A	N/A
33	225	con. Rose	AS 33RCR3	N/A	N/A
33	300	con. Rose	AS 33RCR4	N/A	N/A
33	425	con. Rose	AS 33RCR5	N/A	N/A
33	225	Back/Back	AS 33RBB3	N/A	N/A
33	300	Back/Back	AS 33RBB4	N/A	N/A
33	425	Back/Back	AS 33RBB5	N/A	N/A
33	225	on Plate	AS 33RPP3	N/A	N/A
33	300	on Plate	AS 33RPP4	N/A	N/A
33	425	on Plate	AS 33RPP5	N/A	N/A
33	225	eng. Push/Pull	AS 33REP3	N/A	N/A
33	300	eng. Push/Pull	AS 33REP4	N/A	N/A
33	425	eng. Push/Pull	AS 33REP5	N/A	N/A

BOLT THROUGH


FACE FIX

CONCEALED



BACK TO BACK


ON PLATE



PULL

ON ENGRAVED PLATE

ON SQUARE PLATE





ACCESSORIES

A range of high quality accessories finished to match and compliment the range. For economy priced accessories, please refer to our general catalogue.

In addition to the accessories illustrated opposite, the following items are also available:

Toilet Roll Holder

AS TR1 SS TR1 PB TR1

5 Lever Double Sprung Lock (for use with unsprung furniture)

SS 5LL PB 5LL

Double Sprung Latch

SS ML PB ML

Panic Furniture (please enquire)

Kicking and Finger Plates – made in sizes to order manufactured from:

- 16g Matt aluminium
- 10g Polished aluminium
- 16g Polished aluminium
- 16g Satin stainless steel
- 16g Polished stainless steel
- 18g Polished lacquered brass

For standard stock sizes of Kicking and Finger Plates, see price list.

Signs –76mm circular,


- male , female , disabled , fire door
- 10g and 16g push / pull
- male , female , disabled



Door Stops




AS DS1 SS DS1 PB DS1
40mm high 30mm dia.
35mm dia. rubber



AS DS2 SS DS2 PB DS2
55mm dia. rose
75mm long
AS DS4 SS DS4 PB DS4
55mm dia. rose
50mm long



AS DS3 SS DS3 PB DS3
75mm long



AS DS5 SS DS5 PB DS5
35mm dia.
25mm high



AS DS6 PB DS6
50mm wide 22mm high

Bell Push



AS BP1 SS BP1 PB BP1


Cylinder Pulls




AS CPH1
SS CPH1
PB CPH1




AS CPK2
SS CPK2
PB CPK2



AS CPL3
SS CPL3
PB CPL3




AS CPE4
SS CPE4
PB CPE4



AS CPR6
SS CPR6
PB CPR6

Hat & Coat Hooks / Wardrobe Hooks



AS HC1
75mm projection



AS WH1
60mm projection




SS HC1 PB HC1
62mm projection



SS WH1 PB WH1
30mm projection

Card Holder



AS CH1
130mm wide 50mm high
holds card 100mm x 45mm

Handrail Brackets




64mm AS HRB2 SS HRB2 PB HRB2

Letter Plates



400mm x 125mm AS LP165 PB LP165
350mm x 125mm AS LP145 PB LP145
300mm x 75mm AS LP123
250mm x 75mm AS LP103



Door Closers

AS DC1 SS DC2 PB DC3



FITTINGS TO HELP THE LESS ABLE





Although our range can be accurately described as user friendly, we have developed a suite of products specifically to assist the disabled, including extended bathroom turns which are easy to grip. Our specially extended lever handle is easy to operate with elbows, but safely returns to the door, to avoid catching clothing, particularly sleeves and pockets. As with most of our range, we can produce special items to compliment our standard fittings to help the less able, and our technical staff are always available to offer advice or review sketches / drawings of products to meet special needs.

Check




Cranked Grab Rail

SS GBC1 PC GBC1




Triple Bend Lever on Rose

AS D19RCR triple bend 19mm lever on rose
 AS D19RCH triple bend on concealed plate
 AS D19RCM triple bend 19mm lever on bathroom plate



Bathroom Indicators




AS DIFM 2
 SS DIFM 2
 PB DIFM 2

AS DIFM 1
 SS DIFM 1
 PB DIFM 1

Handrail Bracket

AS HRBE
 PB HRBE
 SS HRBE





Grab Rail / Towel Rail

SS GB1 / SS TR1
 PC GB1 / PC TR1



Back Rest

SS BR1 PC BR1





PRESTIGE PULL HANDLES

A prestigious range of door handles available in a comprehensive range of sizes tailored to suit individual requirements.

enhance



On the page opposite is illustrated the standard range of Prestige pull handles, together with a stock range of standard cranked pull handles.

Each of these are available in a range of finishes:

*Polished anodised aluminium
Satin or polished 316 stainless steel
Polyester powder coated to standard RAL colours*


Fixing centres can be offset if required.

Should you require a special design for an individual application, please contact our technical department.

Cranked Pull Handles

DIA.	C/S	FITTING	ALUMINIUM	STAINLESS	P.BRASS
25	225	B/Through	AS C25RBT3	N/A	N/A
25	300	B/Through	AS C25RBT4	N/A	N/A
25	425	B/Through	AS C25RBT5	N/A	N/A
25	225	Back/Back	AS C25RBB3	N/A	N/A
25	300	Back/Back	AS C25RBB4	N/A	N/A
25	425	Back/Back	AS C25RBB5	N/A	N/A
33	225	B/Through	AS C33RBT3	N/A	N/A
33	300	B/Through	AS C33RBT4	N/A	N/A
33	425	B/Through	AS C33RBT5	N/A	N/A
33	225	Back/Back	AS C33RBB3	N/A	N/A
33	300	Back/Back	AS C33RBB4	N/A	N/A
33	425	Back/Back	AS C33RBB5	N/A	N/A




'L' Shape Cranked




Traditional Cranked



Diameter Range



Push Pads



ALUMINIUM

- 100 x 150 AS PP1
- 100 x 225 AS PP2
- 100 x 300 AS PP3

Your local WILDEN stockist is:

THE
WILDEN Suite



Riverside Business Centre, Worcester Road, Stourport-on-Severn, Worcestershire DY13 9BZ
Tel: 01299 827837 Fax: 01299 827094